

SUPER FAT

User Guide



MIA LABORATORIES

Greetings and Welcome!

Thank you for choosing MIA Laboratories.

Please take the time to read through this user guide in order to get familiar with the components and the use of the SUPER FAT.

Overview

SUPER FAT is a One-Knob style plugin that results from a combination of our Musigual Red, Musigual Blue, Musigual Green plugins and a final touch of Pi&Phi magic.

- Maximises low frequencies in a friendly way to the new generation of sound systems.
- Recommended for club mixes and genres such as Techno, Dub, Reggae and RnB.

Installation

Installing SUPER FAT is easy, just download and run the appropriate installer for your operating system. The license for this plugin requires the use of iLok license manager software and an iLok account. The license can be deposited on a physical iLok (2nd generation or higher) or on iLok Cloud. For further information regarding the activation process, please refer to the activation guide provided. In case that you do not have the iLok License Manager, you can download it for free here: [Get iLok License Manager](#)

SUPER FAT Controls:




GREASE:

Sets the amount of “colour” applied to the signal from 0% to 100%.

Below you can see the Frequency response curves for 0, 25, 50, 75 and 100% accordingly.

SUPER FAT Frequency Response:





D:

Activate D mode when using the plugin on any single Drum channel or any single channel percussive sound to compensate for the slight amount of latency introduced.



Volume

Reduces the output level of SUPER FAT while the amount of colour remains unaffected.



Clipping:

Clipping will turn to orange and remain in that state when the level of the signal exceeds 0 dBfs

