

MIA Delay Δt MkII



MIA LABORATORIES © 2022

Greetings and Welcome!

Thank you for choosing MIA Laboratories.

Please take the time to read through this user guide in order to get familiar with the components and the use of the MIA Delay Δt MkII.

Overview

MIA Delay Δt MkII, is a 'hardware'-style echo/delay unit designed for both production and live performance applications. It features intuitive, extensive control parameters with excellent sound quality and low CPU load.

It can be operated in Mono, Stereo and Ping-Pong (aka 'cross-feed echo') mode, providing paired, or independent controls for each channel.

Features

- Mono, Stereo, Ping-Pong Operation
- 0.01ms Delay time resolution
- Phase inverse option, separately on Input and Feedback
- High Pass and Low Pass Filters on input
- Link and Lock control parameters option
- BPM Sync
- 40 MIA Presets

Installation

Installing MIA Delay Δt MkII is easy, just download and run the appropriate installer for your operating system. The license for this plugin requires the use of iLok license manager software and an iLok account. The license can be deposited on a physical iLok (2nd generation or higher) or on iLok Cloud. For further information regarding the activation process, please refer to the activation guide provided. In case that you do not have the iLok License Manager, or you have an outdated version, you can download it for free here: [Get iLok License Manager](#)



Thank you for using MIA Laboratories.

May the sound be with you!

